

FIG. 1




FIG. 2

300

DELEGATING DEVICE TRANSMITS  
ONE OR MORE SEEDS ASSOCIATED  
WITH PARTICULAR PORTION OF  
PARTITIONED CRYPTOGRAPHIC  
FUNCTIONALITY TO RECIPIENT DEVICE

302

RECIPIENT DEVICE UTILIZES  
TRANSMITTED SEED(S) TO  
COMPUTE ONE OR MORE  
ADDITIONAL SEEDS WHICH  
PERMIT AUTHORIZED EXECUTION OF  
PARTICULAR PORTION OF  
PARTITIONED CRYPTOGRAPHIC  
FUNCTIONALITY BY RECIPIENT DEVICE

304

FIG. 3

SEED LEVEL	SEEDS
1	$  \begin{array}{ccccccc}  v_{1,1} & v_{1,2} & v_{1,3} & v_{1,4} & \dots & v_{1,n} \\  \underbrace{\hspace{1.5cm}}_{t_1} & & \underbrace{\hspace{1.5cm}}_{t_1} & & &   \end{array}  $
2	$  \begin{array}{ccccccc}  v_{2,1} & v_{2,2} & v_{2,3} & v_{2,4} & \dots & \\  \underbrace{\hspace{1.5cm}}_{t_2} & & \underbrace{\hspace{1.5cm}}_{t_2} & & &   \end{array}  $
3	$v_{3,1} \quad v_{3,2} \quad \dots$
⋮	
L-1	$v_{L-1,1} \quad v_{L-1,2} \quad \dots$
L	$v_{L,1}$

FIG. 4

3/6




FIG. 5




FIG. 6

5/6




FIG. 7




FIG. 8

6/6




FIG. 9